## PATENT COOPERATION TREATY

То:				PCT		
BERYL YAK	1					
Associate	İ		WRIT	TEN OPINION OF THE		
RAJAH & TANN			INTERNATION	AL SEARCHING AUTHORITY		
4 Battery Road	İ					
#26-01 Bank of China Building Singapore 049908		(PCT Rule 43bis.1)				
Siligapore 049900		Γ	Date of mailing 17	October 2005 (17.10.2005)		
			(day/month/year)	October 2003 (17.10.2003)		
Applicant's or agent's file reference		FOR FURTHER ACTION See paragraph 2 below				
270776/1						
	I	ling date (day/month/year) Priority Date (day/month/year)		Princip Data (day/month/soar)		
International application No. PCT/SG 2005/000011	International filing	g da 20	ate (day/month/year) 05 (18.01.2005)	19 January 2004 (19.01.2004)		
	<u> </u>	y 2000 (10.01.2000)				
International Patent Classification (IPC)	or both national clas HO4L 25	ssifi 9/1	cation and IPC 0, G06F 13/12			
Applicant						
Applicant	NADARAJ	JAŀ	H SRISKANTHAN			
		- :•				
1. This opinion contains indications rela		gıu	ems.			
Cont. No. I Basis of the o	pinion					
Cont. No. II Priority						
Cont. No. III Non-establish	the state of the s					
Cont. No. IV Lack of unity	Lack of unity of invention					
Cont No V Reasoned sta	Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
•	Certain documents cited					
	Certain decements cred  Certain defects in the international application					
■ •						
Cont. No. VIII Certain obse	rvations on the inter	mati	ionar apprication			
2. FURTHER ACTION				•		
	·inotion	icn	nada this oninion will be	considered to be a written opinion of the		
International Preliminary Examini	ng Authority ("IPEA the IPEA and the cl	hose	en IPEA has notified the	International Bureau under Rule 66.1bis(b)		
that written opinions of this Intern	ational Searching At	uunc	Offich will trot he an course	jorca.		
If this opinion is, as provided abou IPEA a written reply together, who of Form PCT/ISA/220 or before the				A, the applicant is invited to submit to the piration of 3 months from the date of mailing , whichever expires later.		
For further options, see Form PCI						
3. For further details, see notes to Form PCT/ISA/220.						
1 .92 13 64 - 104	ΔΤ		Authorized office	<u> </u>		
Name and mailing address of the ISA  Austrian Paten	t Office		İ	MESA PASCASIO J.		
Dresdner Straße 87, A						
				.42 / 1 / 534 24 / 327		
Facsimile No. +43 / 1 / 534 24 /	535	Telephone No. +43 / 1 / 534 24 / 327				

## WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No. PCT/SG 2005/000011

201588423

### Continuation No. I

## Basis of the opinion

AP20 Rec'e PGTPTO 18 JUL 2006

1. With regard to the **language**, this opinion has been established on the basis of the international application in the language in which it was filed.

### Continuation No. V

Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims	YES
	Claims 1-39	NO
Inventive step (IS)	Claims	YES
стор (го)	Claims <b>1-39</b>	NO
Industrial applicability (IA)	Claims 1-39	YES
Industrial applicability (IA)		
	Claims	ИО

### 2. Citations and explanations:

The cited documents of the search report are:

D1: WO 1997/026762 A1 D2: US 6 008 777 A D3: US 2003/0143985 A1

Document D1 relates to an adaptor card for a personal computer that enables the PC to receive a signal from a satellite communication network. A connector receives signals from the satellite network and is connected to a tuner which selected a single signal for reception. A demodulator is connected to the tuner and converts the selected signal from the tuner into a digital data stream. A bus interface connects the adaptor and the personal computer that allows the digital data stream, a demodulator status and a tuner status to be transmitted from the adaptor card to the computer.

Document D2 relates to a method and an apparatus for remotely interacting with a PC. In one embodiment, a local PC interface unit is coupled to a PC located at a local site. The local PC interface unit is coupled to receive a video output signal and an audio output signal from the PC. The local input devices, such as the keyboard and the mouse, as well as the peripherals such as the monitor and speakers of the PC are also coupled to the local PC interface unit. The local PC interface unit converts the video and audio signals generated by the PC into a format suitable for playback on an ordinary home TV. The local PC device then transmits the

# WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No. PCT/SG 2005/000011

converted audio/video signal via an RF wireless link to a TV interface unit, which is coupled to a TV for playback at a remote site. The TV interface unit also generates a separate audio signal suitable for being listened to from an ordinary home stereo. Remote input devices, such as a keyboard, mouse, trackball, joystick, or a game controller are coupled to a remote input device interface unit which may be located in the same room as the TV and home stereo. The remote input device interface unit receives remote input signals from each one of the remote input devices and multiplexes the remote input signals into a single remote input data stream. The remote input data stream is transmitted back to the local PC interface unit through a wireless link to enable interaction with the PC from the remote location.

Document D3 relates to a method, apparatus and system for transmitting moving image data, in which various moving image data of existent media files are efficiently delivered to existent TV cellular phones in reproducible format. A media file storage stores media files created in arbitrary format for filing moving images. A storage stores codec information on voice/image data and the media files as intermediate formatted data. A media file controller multiplexes the intermediate formatted data to generate a bit stream of voice/image data based on the codec information on the voice/image data. The interface converter transmits the bit stream of voice/image data to a TV cellular phone.

The present application provides an interface for interfacing a digital device (unit) for transmitting and/or receiving a digital stream to a computer, the interface comprising: a digital stream transmitter/receiver for transmitting digitally streamed content and/or receiving digitally streamed content to/from the digital device; a computer bus interface for receiving/providing data to/from a computer bus of a computer for use by the computer and/or as provided by the computer; and a data converter for converting data received by the digital stream receiver into data useable by the computer when provided to the computer bus and/or for converting data received by the computer bus interface into digitally streamed data for transmission by the digital stream transmitter.

All of the cited documents, D1 to D3, include interface devices for converting an incoming data stream to an outgoing stream of a suitable format with respect to the connected devices. These data streams comprise digital data anyway, even though for the complete application a digital-to-analogue converter (or vice versa) may be needed. Therefore, these features are the same as provided in the present application.

Accordingly, all claims 1 to 39 are neither new nor do they include an inventive step.

Industrial applicability is given.